



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/068,947	02/11/2002	Heiko Reinhardt	87333.2800	2316

30734 7590 08/09/2005

BAKER & HOSTETLER LLP
WASHINGTON SQUARE, SUITE 1100
1050 CONNECTICUT AVE. N.W.
WASHINGTON, DC 20036-5304

EXAMINER

SINES, BRIAN J

ART UNIT	PAPER NUMBER
----------	--------------

1743

DATE MAILED: 08/09/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/068,947

Applicant(s)

REINHARDT ET AL.

Examiner

Brian J. Sines

Art Unit

1743

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 May 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-33 is/are pending in the application.
- 4a) Of the above claim(s) 1-3 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 4-33 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Election/Restrictions

This application contains claims 1 – 3 drawn to an invention nonelected with traverse in the response filed 12/21/2004. A complete reply to the final rejection must include cancellation of nonelected claims or other appropriate action (37 CFR 1.144) See MPEP § 821.01.

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 4 – 33 are rejected under 35 U.S.C. 102(b) as being anticipated by Selfridge et al. (U.S. Pat. No. 4,572,427) (hereinafter “Selfridge”).

Regarding claims 4 – 33, Selfridge teaches a controlled gas atmospheric incubation apparatus comprising: an inner container or chamber (13); a humidifier (67); urethane insulation (17); a controllable electric heating element (19); and transparent glass doors (14 & 16) (see col. 4, line 16 – col. 12, line 18; figures 1 – 4). Selfridge does teach the utilization of a pan holding a water bath for humidification purposes (see col. 2, lines 34 – 43). Selfridge teaches the

Art Unit: 1743

incorporation of a microprocessor computer control system (104), which is coupled to various sensors and heaters, for controlling the operation of the incubation apparatus (see col. 9, lines 1 – 17). Selfridge further teaches the incorporation of a door sensor or switch system that is operatively involved in controlling the incubation system (see col. 9, lines 18 – 22). The Courts have held that apparatus claims must be structurally distinguishable from the prior art in terms of structure, not function. See *In re Danley*, 120 USPQ 528, 531 (CCPA 1959); and *Hewlett-Packard Co. V. Bausch and Lomb, Inc.*, 15 USPQ2d 1525, 1528 (Fed. Cir. 1990). The Courts have held that the manner of operating an apparatus does not differentiate an apparatus claim from the prior art, if the prior art apparatus teaches all of the structural limitations of the claim. See *Ex Parte Masham*, 2 USPQ2d 1647 (BPAI 1987) (see MPEP § 2114).

Response to Arguments

Applicant's arguments and amendments, filed 5/27/2005, have been fully considered, but they are not persuasive. Regarding claim 4, the applicant essentially argues that the Selfridge incubation apparatus does not operate in the same manner as the claimed apparatus. However, as discussed above, Selfridge does teach all of the positively recited structural limitations of the claimed apparatus. The newly added claim recitation pertaining to how the control device operates or functions is considered a process or intended use limitation, which does not further delineate the structure of the claimed apparatus from that of the prior art. Since these claims are drawn to an apparatus statutory class of invention, it is the structural limitations of the apparatus, as recited in the claims, which are considered in determining the patentability of the apparatus itself. Recited process or intended use limitations are accorded no patentable weight to an apparatus. Process limitations do not add patentability to a structure, which is not distinguished

Art Unit: 1743

from the prior art. A recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. See *In re Casey*, 152 USPQ 235 (CCPA 1967); and *In re Otto*, 136 USPQ 458, 459 (CCPA 1963). The Courts have held that a statement of intended use in an apparatus claim fails to distinguish over a prior art apparatus. See *In re Sinex*, 309 F.2d 488, 492, 135 USPQ 302, 305 (CCPA 1962). The Courts have held that it is well settled that the recitation of a new intended use, for an old product, does not make a claim to that old product patentable. See *In re Schreiber*, 128 F.3d 1473, 1477, 44 USPQ2d 1429, 1431 (Fed. Cir. 1997). The Courts have held that apparatus claims must be structurally distinguishable from the prior art in terms of structure, not function. See *In re Danley*, 120 USPQ 528, 531 (CCPA 1959); and *Hewlett-Packard Co. V. Bausch and Lomb, Inc.*, 15 USPQ2d 1525, 1528 (Fed. Cir. 1990). The Courts have held that the manner of operating an apparatus does not differentiate an apparatus claim from the prior art, if the prior art apparatus teaches all of the structural limitations of the claim. See *Ex Parte Masham*, 2 USPQ2d 1647 (BPAI 1987) (see MPEP § 2114).

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after

Art Unit: 1743

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian J. Sines, Ph.D. whose telephone number is (571) 272-1263. The examiner can normally be reached on Monday - Friday (11 AM - 8 PM EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill A. Warden can be reached on (571) 272-1267. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read "Brian J. Sines", is located at the bottom left of the page.